



## FIBERSCOPES & BORESCOPIES CATALOG

Videoscopes - Endoscopes - Micro Endoscopes - Microscopes

Picture	Models	Specifications	Notes
	<p><b>EGS-401J</b> <b>EGS-402J</b> <b>EGS-403J</b></p>	<p><b>Camera Probe Lens:</b> 15mm x 3.9mm, 360° Rotation. <b>Cable Length:</b> 1.5m/ 2m/ 3m. <b>Removable Monitor:</b> 3.5" TFT LCD. <b>Articulations:</b> 360°. <b>Joystick Rotation:</b> ≥120°. <b>Pixels:</b> 600000. <b>View Angle:</b> 120°-150°. <b>DOF:</b> 8-200mm/20mm &gt; Infinity. <b>SD Card:</b> 8GB. <b>4 Times Zoom Function. Picture/Video Return Function</b></p>	<p><b>Warranty:</b> 12 months <b>Delivery Time:</b> 3 / 5 working days after payment</p>
	<p><b>EGS-601J</b> <b>EGS-602J</b> <b>EGS-603J</b></p>	<p><b>Camera Probe Lens:</b> 15mm x 6.0mm, 360° Rotation. <b>Cable Length:</b> 1.5m-5m. <b>Removable Monitor:</b> 3.5" TFT LCD. <b>Articulations:</b> 360° <b>Joystick Rotation:</b> ≥120°. <b>Pixels:</b> 600000. <b>View Angle:</b> 120°-150°. <b>DOF:</b> 8-200mm/20mm &gt; Infinity. <b>SD Card:</b> 8GB. <b>4 Times Zoom Function. Picture/Video Return Function</b></p>	<p><b>Warranty:</b> 12 months <b>Delivery Time:</b> 3 / 5 working days after payment</p>
	<p><b>EGS-W401J</b> <b>EGS-W402J</b> <b>EGS-W403J</b></p>	<p><b>Camera Probe Lens:</b> 18mmx3.9mm. <b>Cable Length:</b> 1.5m / 2m / 3M. <b>Monitor:</b> 3.5" TFT LCD. <b>Tip Articulation:</b> Joystick 360 degrees Rotation , ≥120°. <b>Pixels:</b> 1000000. <b>View Angle:</b> 90°. <b>DOF:</b> 8mm--200mm. <b>SD Card:</b> 8GB. <b>Resolution:</b> 640 x 480. <b>Zoom Function:</b> 5 Times, <b>Fiber Optic Light and LED Light</b></p>	<p><b>Warranty:</b> 12 months <b>Delivery Time:</b> 5 / 7 working days after payment</p>
	<p><b>EGS-W601J</b> <b>EGS-W602J</b> <b>EGS-W603J</b></p>	<p><b>Camera Probe Lens:</b> 18mmx6.0mm. <b>Cable Length:</b> 1.5m / 2m / 3M. <b>Monitor:</b> 3.5" TFT LCD. <b>Tip Articulation:</b> Joystick 360 Degrees Rotation, ≥120°. <b>Pixels:</b> 1000000. <b>View Angle:</b> 90°. <b>DOF:</b> 8mm--200mm. <b>SD Card:</b> 8GB. <b>Resolution:</b> 640 x 480. <b>Zoom Function:</b> 5 Times, <b>Fiber Optic Light and LED Light</b></p>	<p><b>Warranty:</b> 12 months <b>Delivery Time:</b> 5 / 7 working days after payment</p>
	<p><b>EGS-N601T</b> <b>EGS-N602T</b> <b>EGS-N603T</b></p>	<p><b>Camera Probe Lens:</b> 20mm x 5.5mm, 360° Rotation. <b>Cable Length:</b> 1.5m/ 2m/ 3m / 6m. <b>Removable Monitor:</b> 4.5" LCD. <b>Articulations:</b> 2-Way, ≥120°. <b>Pixels:</b> 450000. <b>View Angle:</b> 90°. <b>DOF:</b> 20mm &gt; Infinity. <b>SD Card:</b> 8GB. <b>Pixels:</b> 1000000. <b>8 Times Zoom Function</b></p>	<p><b>Warranty:</b> 12 months <b>Delivery Time:</b> 3 / 5 working days after payment</p>

	<p><b>EGS-N601F</b> <b>EGS-N602F</b> <b>EGS-N603F</b></p>	<p><b>Camera Probe Lens:</b> 20mm x 5.5mm, 360° Rotation. <b>Cable Length:</b> 1.5m/ 2m/ 3m. <b>Removable Monitor:</b> 4.5". <b>Tip Articulations:</b> 4-Way, ≥120°. <b>Pixels:</b> 1000000. <b>View Angle:</b> 90°. <b>DOF:</b> 20mm &gt; Infinity. <b>SD Card:</b> 8GB. <b>Resolution:</b> 800 x 640. <b>8 Times Zoom Function.</b></p>	<p><b>Warranty:</b> 12 months <b>Delivery Time:</b> 3 / 5 working days after payment</p>
 <p>DR4539F</p> <ul style="list-style-type: none"> <li>● 專業品質探針，高清晰度，遠程探測</li> <li>● 可旋轉、伸縮、縮短、縮短、縮短</li> <li>● 可旋轉、伸縮、縮短、縮短、縮短</li> <li>● 可旋轉、伸縮、縮短、縮短、縮短</li> <li>● 可旋轉、伸縮、縮短、縮短、縮短</li> </ul>	<p><b>EGS-N401F</b> <b>EGS-N402F</b> <b>EGS-N403F</b></p>	<p><b>Camera Probe Lens:</b> 16mm x 3.9mm, 360° Rotation. <b>Cable Length:</b> 1.5m/ 2m. <b>Removable Monitor:</b> 4.5" TFT LCD. <b>Tip Articulations:</b> 4-Way, ≥120°. <b>Pixels:</b> 450000. <b>View Angle:</b> 80°. <b>DOF:</b> 8mm--200mm. <b>SD Card:</b> 8GB. <b>Resolution:</b> 800 x 640. <b>Room Function:</b> 8 Times</p>	<p><b>Warranty:</b> 12 months <b>Delivery Time:</b> 3 / 5 working days after payment</p>
	<p><b>EGS-T601F</b> <b>EGS-T602F</b> <b>EGS-T603F</b> <b>EGS-T806F</b></p>	<p><b>Camera Probe Lens:</b> 20mm x 6.0mm/8.0mm, <b>Cable Length:</b> 1m/ 2m/ 3m/ 6m. <b>Monitor:</b> 3.5" / 5" TFT LCD. <b>Tip Articulations:</b> 4-Way, ≥120°. <b>Pixels:</b> 440000. <b>View Angle:</b> 80°. <b>DOF:</b> 10mm--150mm / 20mm &gt; Infinity. <b>SD Card:</b> 8GB. <b>Resolution:</b> 800 x 640 . <b>Waterproof:</b> IP67</p>	<p><b>Warranty:</b> 12 months <b>Delivery Time:</b> 5 / 7 working days after payment</p>
	<p><b>EGS-X601F</b> <b>EGS-X602F</b> <b>EGS-X603F</b> <b>EGS-X806F</b></p>	<p><b>Camera Probe Lens:</b> 20mm x 6.0mm/8.0mm, <b>Cable Length:</b> 1m/ 2m/ 3m/ 6m. <b>Monitor:</b> 5.0" LCD. <b>Tip Articulations:</b> 4-Way, ≥120°. <b>Pixels:</b> 1000000. <b>View Angle:</b> 90°. <b>DOF:</b> 20mm &gt; Infinity. <b>SD Card:</b> 8GB. <b>Resolution:</b> 1020 x 760. <b>Waterproof:</b> IP67. <b>Fiber Optic Light and LED Light</b></p>	<p><b>Warranty:</b> 12 months <b>Delivery Time:</b> 5 / 7 working days after payment</p>
	<p><b>EGS-KPT60</b></p>	<p><b>Auto Pan 360° / Tilt 180°, Monitor: SONY CCD,</b> 480TVL 7.0" TFT, <b>Resolution:</b> 1020 x 765; <b>Cree Brand LED,</b> 18 LED Lights, <b>Cable Length:</b> 60M, 120m (max), <b>Battery:</b> DC12V / 14.8V 8500mah, <b>Camera Lens Diameter:</b> 58mm</p>	<p><b>Warranty:</b> 12 months <b>Delivery Time:</b> 7 / 10 working days after payment</p>
	<p><b>EGS-N301</b> <b>EGS-N301T</b></p>	<p><b>Camera Probe Lens:</b> 11mm x 2.8mm, 360° Rotation. <b>Cable Length:</b> 1.5M. <b>Removable Monitor:</b> 4.5" TFT LCD. <b>Tip Articulation:</b> 4-Way / 2-Way, ≥120°. <b>Pixels:</b> 450000. <b>View Angle:</b> 90°. <b>DOF:</b> 8mm--200mm. <b>SD Card:</b> 8GB. <b>Resolution:</b> 800 x 640. <b>Room Function:</b> 8 Times</p>	<p><b>Warranty:</b> 12 months <b>Delivery Time:</b> 5 / 7 working days after payment</p>
	<p><b>EGS-N201F</b> <b>EGS-N201T</b></p>	<p><b>Camera Probe Lens:</b> 9.0mm x 2.0mm. <b>Cable Length:</b> 1.0M. <b>Removable Monitor:</b> 4.5" TFT LCD. <b>Tip Articulation:</b> 4-Way / 2-Way, ≥120°. <b>Pixels:</b> 450000. <b>View Angle:</b> 80°. <b>DOF:</b> 3mm--80mm. <b>SD Card:</b> 8GB. <b>Resolution:</b> 640 x 480 . <b>Room Function:</b> 8 Times</p>	<p><b>Warranty:</b> 12 months <b>Delivery Time:</b> 5 / 7 working days after payment</p>
	<p><b>EGS-KN601J</b> <b>EGS-KN602J</b> <b>EGS-KN603J</b></p>	<p><b>Camera Lens:</b> 20mm x 6.0mm, 360° <b>Joystick Control,</b> <b>Cable Length:</b> 1.0M/ 2.0M/ 3.0M . <b>Monitor:</b> 5.0". <b>Tip Articulation:</b> Joystick 360° Rotation, ≥120°. <b>Pixels:</b> 450000. <b>View Angle:</b> 90°. <b>DOF:</b> 20mm &gt; Infinity ; <b>SD Card:</b> 8GB. <b>Resolution:</b> 800 x 640. <b>4 Times Zoom Function. Removable Probe Lens</b></p>	<p><b>Warranty:</b> 12 months <b>Delivery Time:</b> 5 / 7 working days after payment</p>

	<p><b>EGS-N401T</b> <b>EGS-N402T</b> <b>EGS-N403T</b></p>	<p><b>Camera Probe Lens:</b> 15mm x 3.9mm. <b>Cable Length:</b> 1.5m/ 2m /3M. <b>Removable Monitor:</b> 4.5" TFT LCD. <b>Tip Articulations:</b> 2-Way, ≥120°. <b>Pixels:</b> 440000. <b>View Angle:</b> 80°. <b>DOF:</b> 8mm--200mm. <b>SD Card:</b> 8GB. <b>Resolution:</b> 800 x 640. <b>Zoom Function:</b> 8 Times</p>	<p><b>Warranty:</b> 12 months <b>Delivery Time:</b> 3 / 5 working days after payment</p>
	<p><b>EGS-NI601F</b> <b>EGS-NI603F</b></p>	<p><b>Infrared Video Scope (IR940nm)</b> <b>Borescope Endoscope Inspection Camera</b> <b>Tip Articulation:</b> 4-Way, <b>Camera Lens:</b> 5.5mm, <b>Sensor Size:</b> 1/12" CMOS VGA, <b>Color Sensor Pixels:</b> 1000000 (HD Camera), <b>View Angle:</b> 120° -- 150°, <b>Light Source:</b> 6 LED Lights</p>	<p><b>Warranty:</b> 12 months <b>Delivery Time:</b> 10 / 15 working days after payment</p>
	<p><b>EGS-NU601F</b> <b>EGS-NU602F</b></p>	<p><b>UV Video Scope (365nm)</b> <b>Borescope Endoscope Inspection Camera</b> <b>Tip Articulation:</b> 4-Way, <b>Camera Lens:</b> 5.5mm, <b>Camera Length:</b> 20mm, <b>Sensor Size:</b> 1/12" CMOS VGA, <b>Color Sensor Pixels:</b> 1000000 (HD Camera) <b>Monitor:</b> 4.5" TFT LCD, <b>View Angle:</b> 120° -- 150°, <b>Light Source:</b> 6 LED Lights</p>	<p><b>Warranty:</b> 12 months <b>Delivery Time:</b> 10 / 15 working days after payment</p>
	<p><b>EGS-X601J</b> <b>EGS-X602J</b> <b>EGS-X603J</b></p>	<p><b>Camera Probe Lens:</b> 20mmx6.0mm. <b>Cable Length:</b> 1.5m / 2m / 3M. <b>Monitor:</b> 3.5"/5" TFT LCD. <b>Tip Articulation:</b> Joystick 360 Degrees Rotation, ≥120°. <b>Pixels:</b> 450000. <b>View Angle:</b> 80°. <b>DOF:</b> 20mm &gt; Infinity. <b>SD Card:</b> 8GB. <b>Resolution:</b> 800 x 640 . <b>Zoom Function:</b> 4 Times, <b>Fiber Optic Light and LED Light</b></p>	<p><b>Warranty:</b> 12 months <b>Delivery Time:</b> 5 / 7 working days after payment</p>
	<p><b>EGS-YK610</b> <b>EGS-YK1710</b> <b>EGS-YK2310</b></p>	<p><b>Camera Size:</b> ø6mm/17mm/23mm; <b>Cable Length:</b> 10m / 20m / 30m/40m/50m; <b>Monitor Size:</b> 7inch TFT <b>Color Monitor;</b> <b>Waterproof:</b> IP67 <b>DVR:</b> Video &amp; Audio Recorder</p>	<p><b>Warranty:</b> 12 months <b>Delivery Time:</b> 5 / 7 working days after payment</p>
	<p><b>EGS-SZR</b></p>	<p><b>Rigid Endoscope:</b> <b>Camera Lens Diameter:</b> 3mm -10mm. <b>Tube Length:</b> 140mm-805mm <b>Camera View:</b> 0°/30°/70°/90° <b>FOV:</b> 60°-90°</p>	<p><b>Warranty:</b> 12 months <b>Delivery Time:</b> 5 / 7 working days after payment</p>
	<p><b>EGS-S100</b> <b>EGS-S200</b> <b>EGS-S200D</b> <b>EGS-WH200</b></p>	<p>The <b>Pipe Inspection Robot EGS-S200</b> is widely used in the 200-1000mm underground pipelines, tunnels, containers, and other spaces where people can not enter. <b>90 Front PTZ Camera Head/Crawler System</b> <b>Windows Display Controller / Cable Drum</b></p>	<p><b>Warranty:</b> 12 months <b>Delivery Time:</b> 10 / 15 working days after payment</p>

Above standard models, for special model or customization, please contact us to:  
[info@egisecurity.com](mailto:info@egisecurity.com)